CONTENTS

Selected papers from the Third International Topical Meeting on Nuclear Reactor Thermal-Hydraulics, October 1985, Newport, Rhode Island, USA

Preface, *R.T. Lahey, Jr.* ix
Foreword, *N.E. Todreas and C. Chiu* 1

Section 1. Single and multiphase flow dynamics
The effect of fuel rod dynamics on BWR stability margin, *R. Taleyarkhan, M.Z. Podowski and R.T. Lahey, Jr.* 5
Numerical and experimental study of two-phase jet impingement, *T. Kawasaki, M. Naitoh and T. Kamo* 15
Forced convective boiling in high pressure parallel flow in tube bundles, *M. Caira, E. Cipollone, M. Cumo and A. Naviglio* 25
Boundaries between regimes of pressure oscillation induced by steam condensation in pressure suppression containment, *I. Aya and H. Nariai* 31
Analysis of BWR core nuclear thermal hydraulic oscillation with three dimensional transient program, *O. Yokomizo, M. Sakurai, Y. Yoshimoto, K. Kitayama, T. Enomoto, N. Fukuda and K. Chuman* 41
Measurements of impact loads and expansion of flashing water jets, *C.F. Forrest, K.S. Shin, W.I. Midvidy, R.E. Pauls and N. Wahba* 53
Analysis of the impact force by a transient liquid slug flowing out of a horizontal pipe, *T. Sakaguchi, M. Ozawa, H. Hamaguchi, F. Nishiwaki and E. Fujii* 63

Section 2. Multiphase flow phenomena
Experiments and modeling of flooding phenomena, *B. Meyer and M. Giot* 75
Critical steady-state blowdown of flashing water through tubes, *B.I. Nigmatulin, K.I. Soplenkov and V.N. Blinkov* 85
Two-phase gas bubble-liquid boundary layer flow along vertical and inclined surfaces, *F.B. Cheung and M. Epstein* 93
New computational method with a fully-implicit scheme for a real-time accident simulator, *D.W. Jerng and H.C. No* 101
Study of turbulence analysis code, *A. Masui, T. Koga, S. Moriya and N. Tanaka* 109
Two phase flow through small breaks in a horizontal pipe with stratified flow, *C. Smoglie, J. Reimann and U. Müller* 117
Counter-current flow behaviour of steam-saturated water and steam-subcooled water in the fuel element top nozzle area, *R. Spatz, H.-J. Laake, D. Mewes and F. Mayinger* 131
The structure of turbulent flow through rod bundles, *K. Rehme* 141

Section 3. Boiling heat transfer phenomena
Post-dryout heat transfer of high-pressure steam-water two-phase flow in single rod channel and multi rod bundle, *Y. Koizumi, H. Kumamaru, T. Yonomoto and K. Tasaka* 157

Transient boiling caused by vapor film collapse at minimum heat flux in film boiling, *A. Sakurai, M. Shiotsu and K. Hata* 167
Dryout in very deep particulate beds (Experimental results and their interpretation with measured axial pressure differences), *G. Hofmann* 177
Flow visualization study of inverted annular flow of post dryout heat transfer region, *M. Ishii and G. De Jarlais* 187
Analytical modeling of inverted annular film boiling, *G.Th. Analytis and G. Yadigaroglu* 201
Validation of a bottom flooding model, *M. De Salve and B. Panella* 213
PWR reflood experiments using full length bundles of rods with Zircaloy claddings and alumina pellets (Results of the SEFLEX program), *P. Ihle and K. Rust* 223
Boiling transition predictions for BWR fuel bundles by the subchannel analysis program MENUETT, *Y. Bessho and S. Uchikawa* 239
Flow pattern and dryout under sodium boiling conditions at decay power levels, *K. Yamaguchi* 247
CHF in the parameter range of advanced pressurized water reactor cores, *Th. Müller-Menzel and W. Zeggel* 265
Quenching of debris beds having variable permeability in the axial and radial directions, *V.X. Tung and V.K. Dhir* 275

Section 4. Thermal-hydraulic mechanisms

Results of thermal mixing tests at the HDR-facility and comparisons with best-estimate and simple codes, *L. Wolf, U. Schygulla, W. Häffner, K. Fischer and W. Baumann* 287
Vented combustion of hydrogen-air mixtures in large volumes, *R.K. Kumar, T. Skraba and D.R. Greig* 305
Concentration levels of solutes in porous deposits with chimneys under wick boiling conditions, *C. Pan, B.G. Jones and A.J. Machiels* 317
Comprehensive assessment of the Ispra BWR and PWR subchannel experiments and code analysis with different two-phase models and solution schemes, *L. Wolf, K. Fischer, H. Herkenrath and W. Hufschmidt* 329
Turbulent flows in complex rod bundle geometries numerically predicted by the use of FEM and a basic turbulence model, *H.G. Kaiser and W. Zeggel* 351
The modelling of turbulent recirculating flows for the purpose of reactor thermal-hydraulic analysis, *P.L. Viollet* 365
Thermal-hydraulic characteristics of pressurized water reactors during commercial operation. VI. Chemical analysis of secondary water in the steam generators of Bugey 4 and Tricastin 1, *A.R. Wazzan, H. Procaccia and J. David* 379

Section 5. Natural circulation phenomena

An experimental investigation of BWR/4 long-term cooling with either intact or broken jet pumps, *M.R. Fakory and R.T. Lahey, Jr.* 391
Stability of natural-circulation flow in a CANDU-type fuel channel, *V.S. Krishnan and P. Gulshani* 403
Characteristics of natural circulation flow in a bend loop with a U-shape-type cooler, *T. Ishida, K. Akagawa, T. Fujii, H. Kutuna, K. Hashimoto, M. Ishizuka and Y. Futamura* 413
Natural circulation of integrated-type marine reactor at inclined attitude, *I. Iyori, I. Aya, H. Murata, M. Kobayashi and H. Nariai* 423

Experimental study of sodium natural convection heat transfer in the intermediate plenum for pool-type LMFBRs, *T. Ishitori, K. Ogura, N. Sato, I. Ohshima, H. Nei, M. Uotani, T. Fukuda and T. Akimoto* 431
Effects of Reynolds number and Richardson number on thermal stratification in hot plenum, *S. Moriya, N. Tanaka, N. Katano and A. Wada* 441
Discussions on loop seal behaviour during cold leg small break LOCAs of a PWR, *N. Lee* 453
Author index 459
Instructions to contributors 463